

	Date	Cazals	Cazals	Cazals	Cazals	Cazals	Cazals	Cazals	Cazals	Cazals	Cazals
		05088475	05088475	05088475	05088475	05088475	05088475	05088475	05088475	05088475	05088475
		01/06/2026	08/06/2026	15/06/2026	22/06/2026	29/06/2026	06/07/2026	15/07/2026	20/07/2026	27/07/2026	05/08/2026
<u>Analyse biologique</u>		Unités									
Chlorophycées	%	51	85	92	93	84	78	75	67	65	60
Chrysophycées	%	45	12	4	4	7	11	15	10	12	1
Cryptophycées	%	0	0	0	0	0	0	0	0	0	0
Dynophycées	%	0	0	0	0	0	1	0	0	1	0
Euglenophycées	%	0	0	0	0	2	0	0	1	1	1
Zygophycées	%	0	0	0	0	0	0	0	0	0	0
<i>Anabaena</i> mm ³ /L		0	0	0	0	0	0	0	0	0	0
<i>Anabaenopsis</i> mm ³ /L		0	0	0	0	0	0	0	0	0	0
<i>Aphanizomenon</i> mm ³ /L		0	0	0	0	0	0	0	0	0	0
<i>Aphanocapsa</i> mm ³ /L		0,005	0,008	0,01	0,01	0,01	0,01	0,01	0,025	0,06	0
Aphanotece cellules/ml		0	0	0	0	0	0	0	0	0	0
<i>Calothrix</i> mm ³ /L		0	0	0	0	0	0	0	0	0	0
Chroococcus cellules/ml		96	0	0	0	0	0	0	0	0	0
Coelomoron cellules/ml		3130	2560	2560	7680	22400	34560	28160	22720	7100	139520
Coelosphaerium cellules/ml		0	0	0	0	0	0	0	0	0	0
<i>Cylindrospermopsis</i> mm ³ /L		0	0	0	0	0	0	0	0	0	0
Lemmermaniella cellules/ml		0	0	0	0	0	0	0	0	0	0
<i>Limnothrix</i> mm ³ /L		0	0	0	0	0	0	0	0	0	0
<i>Lyngbya</i> mm ³ /L		0	0	0	0	0	0	0	0	0	0
<i>Merismopedia</i> mm ³ /L		0	0	0	0	0	0	0,01	0,017	0	0
<i>Microcystis</i> mm ³ /L		0	0	0	0	0	0	0	0	0	0
<i>Nodularia</i> mm ³ /L		0	0	0	0	0	0	0	0	0	0
<i>Oscillatoria</i> mm ³ /L		0	0	0	0	0	0	0	0	0	0
<i>Planktothrix</i> mm ³ /L		0	0	0	0	0	0	0	0	0	0
<i>Pseudanabaena</i> mm ³ /L		0	0	0	0	0	0	0	0	0	0
Snowella cellules/ml		0	0	0	0	0	0	0	0	0	0
<i>Woronichinia</i> mm ³ /L		0	0	0	0	0	0	0	0	0	0
Cyanobactéries	%	4%	3%	4%	3%	7%	10%	10%	22%	21%	38
Quantification totale en phytoplancton	colo/ml	17730	13000	13540	28240	16800	17220	17020	12900	16100	27650
Somme des biovolumes des cyanobactéries toxino­gènes	mm³/L	0,005	0,008	0,01	0,01	0,01	0,01	0,02	0,042	0,06	0
<u>Analyse physico-chimique</u>											
Chlorophylle A	µg/l	46,02	20,45	18,66	9,39	54,04	37,176	70,91	30,92	59,489 ec	
Phéopigment	µg/l	3,91	1,61	0,3	0,43	0,32	<0,10	<0,1	<0,1	<0,1 ec	
<u>Analyse cyanotoxines (en fonction des espèces toxino­gènes)</u>											
AnatoxineA	µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Microcystines	µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Cylindrospermopsines	µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Saxitoxines	µg/l	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Premier niveau d'alerte : Somme des biovolumes des cyanobactéries toxino­gènes > 1 mm³/L (cf. instruction DGS/EA4/EA3/2021/76)
Mettre une information du public sur la baignade

Seuils entrainant la fermeture de la baignade (cf. instruction DGS/EA4/EA3/2021/76) :

Microcystines > 0,3 µg/l **et/ou**

Cylindrospermopsines > 42 µg/l **et/ou**

Anatoxines > limite de détection **et/ou**

Saxitoxines > 30 µg/l